Author index

Aarts, M.G.M., Hodge, R., Kalantidis, K., Florack, D., Wilson, Z.A., Mulligan, B.J., Stiekema, W.J., Scott, R. and Pereira, A. *The Arabidopsis MALE STERILITY 2 protein shares similarity with reductases in elongation/condensation complexes* 615
Abraham, E. *see* Strizhov, N.
Alia, L. *see* Hayashi, H.
Amedeo, P. *see* Mengiste, T.
Angenon, G. *see* Dillen, W.
Ashri, A. *see* Meissner, R.
Atkinson, H.J. *see* Urwin, P.E.
Avni, A. *see* Hanania, U.

Baden, C. *see* Lee, K.Y.
Baier, M. and Dietz, K.-J. *The plant 2-Cys peroxiredoxin BAS1 is a nuclear-encoded chloroplast protein: its expressional regulation, phylogenetic origin, and implications for its specific physiological function in plants* 179
Balconi, C. *see* Muller, M.
Banno, H. *see* Nishihama, R.
Bao, Y. *see* Itaya, A.
Barbacar, N., Hinnisdaels, S., Farbos, I., Moneger, F., Lardon, A., Delichere, C., Mouras, A. and Negrutiu, I. *Isolation of early genes expressed in reproductive organs of the dioecious white campion (*Silene latifolia*) by subtraction cloning using an asexual mutant* 805
Barre, A. *see* Van Damme, E.J.M.
Batschauer, A. *see* Von Lintig, J.
Baulcombe, D.C. *see* English, J.J.
Baum, K., Groning, B. and Meier, I. *Improved ballistic transient transformation conditions for tomato fruit allow identification of organ-specific contributions of I-box and G-box to the RBCS2 promotor activity* 463
Baynton, C.E. *see* Egoavil, C.
Beachy, R. *see* Yin, Y.
Beachy, R.N. *see* Oparka, K.J.
Beck, C.F. *see* Glockner, G.
Bedbrook, J. *see* Lee, K.Y.
Belcher, A.R. *see* Smith, F.W.
Belmonte, S. *see* Wang, M.L.
Ben-Yaacov, S. *see* Miron, D.
Benfey, P.N. *see* Malamy, J.E.
Bennett, A.B. *see* Catala, C.
Bergman, P. *see* Hernould, M.
Bergounioux, C. *see* Planchais, S.
Betz, C. *see* Tuomainen, J.
Beven, A.F. *see* Thompson, W.F.
Bi, Y.-M. *see* Mur, L.A.J.
Bibikova, T.N. *see* Wymer, C.L.
Bihn, E.A., Paul, A.-L., Wang, S.W., Erdos, G.W. and Ferl, R.J. *Localization of 14-3-3 proteins in the nuclei of arabidopsis and maize* 1439
Bischoff, F., Millar, A.J., Kay, S.A. and Furuya, M. *Phytochrome-induced intercellular signalling activates cab::luciferase gene expression* 839
Blatt, M.R. *see* Grabov, A.
Blickling, S. *see* Strizhov, N.
Blume, B. and Grierson, D. *Expression of ACC oxidase promoter–GUS fusions in tomato and* Nicotiana plumbaginifolia *regulated by developmental and environmental stimuli* 731
Bonas, U. and Van den Ackerveken, G. *Recognition of bacterial avirulence proteins occurs inside the plant cell: a general phenomenon in resistance to bacterial diseases* 1
Bongard-Pierce, D.K. *see* Wang, M.L.
Bonk, M. *see* Von Lintig, J.
Bostwick, D.E. *see* Clark, A.M.
Botella, M.A., Coleman, M.J., Hughes, D.E., Nishimura, M.T., Jones, J.D.G. and Somerville, S.C. *Map positions of 47* Arabidopsis *sequences with sequence similarity to disease resistance genes* 1197
Boulton, M.I. *see* Wright, E.A.
Bowser, J. and Reddy, A.S.N. *Localization of a kinesin-like calmodulin-binding protein in dividing cells of* arabidopsis *and tobacco* 1429
Braun, D.M., Stone, J.M. and Walker, J.C. *Interaction of the maize and* Arabidopsis *kinase interaction domains with a subset of receptor-like protein kinases:implications for transmembrane signalling in plants* 83
Brettschneider, R. *see* Kumlehn, J.
Bryant, J.A. *see* Burton, S.K.
Buell, C.R. and Somerville, S.C. *Use of* Arabidopsis *recombinant inbred lines reveals a monogenic and a novel digenic resistance mechanism to* Xanthomonas campestris *pv* campestris 21
Bureau, J.-M. *see* Planchais, S.
Burton, S.K., Van't Hof, J. and Bryant, J.A. *Novel DNA-binding characteristics of a protein associated with DNA polymerase-α in pea* 357

Caboche, M. *see* Hudson, M.
Cardon, G.H., Hohmann, S., Nettesheim, K., Saedler, H. and Huijser, P. *Functional analysis of the* Arabidopsis thaliana *SBbox gene* SPL3: *a novel gene involved in floral transition* 367
Carson, C.B., Hattori, T., Rosenkrans, L., Vasil, V., Vasil, I.K., Peterson, P.A. and McCarty, D.R. *The quiescent/colorless alleles of* viviparous 1 *show that the conserved B3 domain of VP1 is not essential for ABA-regulated gene expression in the seed* 1231
Casal, J.J. *see* Yanovsky, M.J.
Casse-Delbert, F. *see* Sarda, X.
Catala, C., Rose, J.K.C. and Bennett, A.B. *Auxin regulation and spatial localization of an endo-1,4-β-D-glucanase and a xyloglucan endotransglycosylase in expanding tomato hypocotyls* 417
Chamberland, H. *see* Varin, L.
Chang, C.-W. *see* Silverstone, A.L.
Chapple, C. *see* Reiter, W.-D.
Chen, L. *see* Yin, Y.
Chua, N.-H. *see* Van Oosten, J.J.-M.
Citovsky, V. *see* Lartey, R.
Clark, A.M., Bostwick, D.E., Dannenhoffer, J.M., Skaggs, M.I. and Thompson, G.A. *Molecular characterization of a phloem-specific gene encoding the filament protein, Phloem Protein 1 (PP1), from* Cucurbita maxima 49
Clarkson, D.T. *see* Smith, F.W.
Coleman, M.J. *see* Botella, M.A.
Cordeiro, A. *see* Miklashevichs, E.
Cornelissen, M. *see* Jacobs, J.J.M.R.
Cornelissen, M. *see* Rethmeier, N.
Coruzzi, G. *see* Ngai, N.
Coupland, G. *see* Davies, G.J.
Crain, R.C. *see* Lee, S.
Cramer, C.L. *see* Zhou, D.
Czaja, I. *see* Miklashevichs, E.

Dannenhoffer, J.M. *see* Clark, A.M.
Darby, R.M. *see* Mur, L.A.J.
Davenport, G.F. *see* English, J.J.
Davies, G.J., Sheikh, M.A., Ratcliffe, O.J., Coupland, G. and Furner, I.J. *Genetics of homology-dependent gene silencing in* Arabidopsis*; a role for methylation* 791
Davies, J.W. *see* Wright, E.A.
De Bruin, R. *see* Stam, M.
De Clercq, J. *see* Dillen, W.
De Vries, S.C. *see* Toonen, M.A.J.
Dean, C. *see* Rinehart, T.A.
Delichere, C. *see* Barbacar, N.
Depicker, A. *see* Van Houdt, H.
Deshnium, P. *see* Hayashi, H.
Dickinson, H.G. *see* Stephenson, A.G.
Dietz, K.-J. *see* Baier, M.
Dijkwell, P.P. *see* Van Oosten, J.J.-M.
Dillen, W., De Clercq, J., Kapila, J., Zambre, M., Van Montague, M. and Angenon, G. *The effect of temperature on* Agrobacterium tumefaciens*-mediated gene transfer to plants* 1459
Ding, B. *see* Itaya, A.
Ding, B., Kwon, M.-O., Hammond, R. and Owens, R. *Cell-to-cell movement of potato spindle tuber viroid* 931
Dixon, S. *see* Stephenson, A.G.
Dolan, M. *see* Wang, M.L.
Doughty, J. *see* Stephenson, A.G.
Draper, J. *see* Mur, L.A.J.
Dues, G. *see* Muller, M.
Dujardin, G. *see* Hamel, P.
Dumas, C. *see* Opsahl-Ferstad, H.-G.
Dunsmuir, P. *see* Lee, K.Y.
Dupuis, J.M. *see* Sarda, X.
Duwenig, E., Steup, M., Willmitzer, L. and Kossman, J. *Antisense inhibition of cytosolic phosphorylase in potato plants (*Solanum tuberosum *L.) affects tuber sprouting and flower formation with only little impact on carbohydrate metabolism* 323

Ealing, P.M. *see* Smith, F.W.
Egoavil, C., Marton, H.A., Baynton, C.E., McCullough, A.J. and Schuler, M.A. *Structural analysis of elements contributing to 5′ slice site selection in plant pre-mRNA transcripts* 971
Ehmann, B. *see* Himmelspach, R.
Elkind, Y. *see* Meissner, R.
Elleman, C. *see* Stephenson, A.G.
Ellwood, S. *see* Xiao, S.
Elmayan, T. *see* English, J.J.
English, J.J. and Baulcombe, D.C. *The influence of small changes in transgene transcription on homology-dependent virus resistance and gene silencing* 1311
English, J.J., Davenport, G.F., Elmayan, T., Vaucheret, H. and Baulcombe, D.C. *Requirement of sense transcription for homology-dependent virus resistance and* trans*-inactivation* 597
Erdos, G.W. *see* Bihn, E.A.
Eriksson, M.E. *see* Olsen, J.E.
Ernst, D. *see* Tuomainen, J.
Evans, M.M.S. and Poethig, R.S. *The* viviparous 8 *mutation delays vegetative phase change and accelerates the rate of seedling growth in maize* 769

Faiss, M., Zalubilova, J., Strnad, M. and Schmulling, T. *Conditional transgenic expression of the* ipt *gene indicates a funtion for cytokinins in paracrine signalling in whole tobacco plants* 401
Fan, H.-Y., Hu, Y., Tudor, M. and Ma, H. *Specific interactions between the K domains of AG and AGLs members of the MADS domain family of DNA binding proteins* 999
Farbos, I. *see* Barbacar, N.
Fenoll, C. *see* Serna, L.
Ferl, R.J. *see* Bihn, E.A.
Ferrare, K. *see* Sarda, X.
Findlay, K. *see* Xiao, S.
Firek, S. *see* Mur, L.A.J.
Florack, D. *see* Aarts, M.G.M.
Franklin, F.C.H. *see* Rudd, J.J.
Franklin-Tong, V.E. *see* Rudd, J.J.
Franklin-Tong, V.E., Hackett, G. and Hepler, P.K. *Ratio-imaging of Ca^{2+} in the self-incompatibility response in pollen tubes of* Papaver rhoeas 1375
Freeling, M. *see* Scanlon, M.J.
Fujita, H. and Syono, K. *PIS1, a negative regulator of the action of auxin transport inhibitors in* Arabidopsis thaliana 583
Furner, I.J. *see* Davies, G.J.
Furuya, M. *see* Bischoff, F.

Galbraith, D.W. *see* Grebenok, R.J.
Galili, G. *see* Miron, D.
Gantt, J.S. *see* Sudam Pathirana, M.
Garcia-Olmedo, F. *see* Molina, A.
Gardestrom, P. *see* Strand, A.
Gerbaud, A. *see* Van Oosten, J.J.-M.
Ghoshroy, S. *see* Lartey, R.
Gijzen, M. *A deletion mutation at the* ep *locus causes low seed coat peroxidase activity in soybean* 991
Gilmartin, P.M. *see* Robertson, S.E.
Gilroy, S. *see* Wymer, C.L.
Giraudat, J. *see* Grabov, A.
Glab, N. *see* Planchais, S.
Glimelius, K. *see* Hernould, M.
Glockner, G. and Beck, C.F. *Cloning and characterization of* LRG5*, a gene involved in blue light signalling in* Chlamydomonas *gametogenesis* 677
Goodman, H.M. see Wang, M.L.
Grabov, A., Leung, J., Giraudat, J. and Blatt, M.R. *Alteration of anion channels kinetics in wild-type and* abi1-1 *transgenic* Nicotiana benthamiana *guard cells by abscisic acid* 203
Grafe, S. *see* Papenbrock, J.
Grant, S.R. *see* Lebel-Hardenack, S.
Gray, J.C. *see* Helliwell, C.A.
Grebenok, R.J., Lambert, G.M. and Galbraith, D.W. *Characterization of the targeted nuclear accumulation of GFP within the cells of transgenic plants* 685
Grierson, D. *see* Blume, B.
Grimm, B. *see* Papenbrock, J.
Grimm, B. *see* Zavgorodnyaya, A.
Gritscher, D. *see* Hellwege, E.M.
Groenendijk, J. *see* Wright, E.A.
Groning, B. *see* Baum, K.
Guiliano, G. *see* Von Lintig, J.
Gustafsson, P. *see* Strand, A.

Hackett, G. *see* Franklin-Tong, V.E.
Hagemann, K. *see* Oecking, C.
Hagemeier, J. *see* Oecking, C.
Halliday, K.J., Thomas, B. and Whitelam, G.C. *Expression of heterologous phytochromes A, B or C in transgenic tobacco*

plants alters vegetative development and flowering time 1079
Hamel, P., Sakamoto, W., Wintz, H. and Dujardin, G. *Functional complementation of an* oxa1*-yeast mutation identifies an* Arabidopsis thaliana *cDNA involved in the assembly of respiratory complexes* 1319
Hammond, R. *see* Ding, B.
Hanania, U. and Avni, A. *High-affinity binding site for ethylene-inducing xylanase elicitor on* Nicotiana tabacum *membranes* 113
Hanel, F. *see* Papenbrock, J.
Hanzawa, Y., Takahashi, T. and Komeda, Y. ACL5: *an* Arabidopsis *gene required for internodal elongation after flowering* 863
Harada, K. *see* Nakamura, Y.
Haranishimura, I. *see* Hiraiwa, N.
Hasenkampf, C.A. *see* Taylor, A.A.
Hattori, T. *see* Carson, C.B.
Hauf, G. *see* Ryser, U.
Hawkesford, M.J. *see* Smith, F.W.
Hayashi, H., Alia, L., Mustardy, L., Deshnium, P., Ida, M. and Murata, N. *Transformation of* Arabidopsis thaliana *with the* codA *gene for choline oxidase; accumulation of glyinebetaine and enhanced tolerance to salt and cold stress* 133
Hayashidá, N. *see* Seki, M.
Hazirezaei, M. *see* Herbers, K.
Heberle-Bors, E. *see* Touraev, A.
Heckel, T. *see* Wright, E.A.
Hedrich, R. *see* Pottosin, I.G.
Helliwell, C.A., Webster, C.I. and Gray, J.C. *Light-reguiated expression of the pea plastocyanin gene is mediated by elements within the transcribed region of the gene* 499
Hellwege, E.M., Gritscher, D., Willmitzer, L. and Heyer, A.G. *Transgenic potato tubers accumulate high levels of 1-kestose and nytose: functional identification of a sucrose sucrose 1-fructosyltransferase of artichoke (*Cynara scolymus*) blossom discs* 1057
Hepler, P.K. *see* Franklin-Tong, V.E.
Herbers, K., Tacke, E., Hazirezaei, M., Krause, K.-P., Melzer, M., Rohde, W. and Sonnewald, U. *Expression of a luteoviral movement protein in transgenic plants leads to carbohydrate accumulation and reduced photosynthetic capacity in source leaves* 1045
Hernould, M., Glimelius, K., Veuskens, J., Bergman, P. and Mouras, A. *Microdissection and amplification of coding sequences from a chromosome fragment restoring male fertility in alloplasmic male-sterile tobacco* 703
Heslop-Harrison, J.S. *see* Murata, M.
Heyer, A.G. *see* Hellwege, E.M.
Hickman, H. *see* Itaya, A.
Himmelspach, R., Nick, P., Schafer, E. and Ehmann, B. *Developmental and light-dependent changes of the cytosolic chaperonin containing TCP-1 (CCT) subunits in maize seedlings and the localization in coleoptiles* 1299
Hinnisdaels, S. *see* Barbacar, N.
Hiraiwa, N., Nishimura, M. and Haranishimura, I. *Expression and activation of the vacuolar processing enzyme in* Saccharomyces cerevisiae 819
Hirano, H. *see* Sassa, H.
Hiscock, S. *see* Stephenson, A.G.
Hodge, R. *see* Aarts, M.G.M.
Hoe, J. *see* Lartey, R.
Hohmann, S. *see* Cardon, G.H.
Holdsworth, M.J. *see* Jones, H.D.
Horsch, A. *see* Taylor, A.A.
Howie, W.J. *see* Lee, K.Y.
Hu, Y. *see* Fan, H.-Y.
Huang, L. *see* Wang, M.L.
Hudson, M., Robson, P.R.H., Kraepiel, Y., Caboche, M. and Smith, H. Nicotiana plumbaginifolia hlg *mutants have a mutation in a* PHYB*-type phytochrome gene: they have elongated hypocotyls in red light but are not elongated as adult plants* 1091
Hughes, D.E. *see* Botella, M.A.
Huijser, C. *see* Van Oosten, J.J.-M.
Huijser, P. *see* Cardon, G.H.
Hurry, V. *see* Strand, A.
Hussey, P.J. *see* Jiang, C.-J.

Iba, K. *see* Kusumi, K.
Ida, M. *see* Hayashi, H.
Ingelbrecht, I. *see* Van Houdt, H.
Irie, K. *see* Nishihama, R.
Itaya, A., Hickman, H., Bao, Y., Nelson, R. and Ding, B. *Cell-to-cell trafficking of cucumber mosaic virus movement protein: green fluorescent protein fusion produced by biolistic gene bombardment in tobacco* 1223
Ito, Y., Kaku, H. and Shibuya, N. *Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension-cultured rice cells by affinity labeling* 347

Jacobs, J.J.M.R., Litiere, K., Van Dijk, V., Van Eldik, G.J., Van Montagu, M. and Cornelissen, M. *Post-transcriptional β-1,3-glucanase gene silencing involves increased transcript turnover that is translation-independent* 885
Jacobson, Y. *see* Meissner, R.
Jiang, C.-J., Weeds, A.G. and Hussey, P.J. *The maize actin-depolymerizing factor, ZmADF3, redistributes to the growing tip of elongating root hairs and can be induced to translocate onto the nucleus with actin* 1035
Jones, H.D., Peters, N.C.B. and Holdsworth, M.J. *Genotype and environment interact to control dormancy and differential expression of the* VIVIPAROUS 1 *homologue in embryos of* Avena fatua 911
Jones, J.D.G. *see* Botella, M.A.
Junttila, O. *see* Olsen, J.E.

Kaku, H. *see* Ito, Y.
Kakutani, T. *Genetic characterization of late-flowering traits induced by DNA hypomethylation mutation in* Arabidopsis thaliana 1447
Kalantidis, K. *see* Aarts, M.G.M.
Kamiya, Y. *see* Swain, S.M.
Kangasjarvi, J. *see* Tuomainen, J.
Kao, Y.-L. *see* Narasimhulu, S.B.
Kapila, J. *see* Dillen, W.
Karchi, H. *see* Miron, D.
Kato, A. *see* Yamamoto, Y.Y.
Kato, N. *see* Seki, M.
Kawahara, E. *see* Nishihama, R.
Kay, S.A. *see* Bischoff, F.
Keller, B. *see* Ryser, U.
Kenter, S. *see* Stam, M.
Kim, S. *see* Lee, S.
Kiyosue, T. *see* Nakashima, K.
Kjellbom, P., Snogerup, L., Stohr, C., Reuzeau, C., McCabe, P.F.

and Pennell, R.I. *Oxidative cross-linking of plasma membrane arabinogalactan proteins* 1189
Klaff, P. *see* Lisitsky, I.
Kleinig, H. *see* Von Lintig, J.
Knight, H., Trewavas, A.J. and Knight, M.R. *Calcium signalling in* Arabidopsis thaliana *responding to drought and salinity* 1067
Knight, M.R. *see* Knight, H.
Koba, T. *see* Sassa, H.
Komeda, Y. *see* Hanzawa, Y.
Koncz, C. *see* Strizhov, N.
Kondo, Y. *see* Yamamoto, Y.Y.
Kooter, J.M. *see* Stam, M.
Kornneef, M. *see* Meinke, D.
Kossman, J. *see* Duwenig, E.
Koutnikova, H. *see* Lebel-Hardenack, S.
Kraepiel, Y. *see* Hudson, M.
Kranz, E. *see* Kumlehn, J.
Krause, K.-P. *see* Herbers, K.
Krol, E. *see* Silverstone, A.L.
Kruse, E. *see* Papenbrock, J.
Kubo, A. *see* Nakamura, Y.
Kuhn, R. *see* Qin, M.
Kumlehn, J., Brettschneider, R., Lorz, H. and Kranz, E. *Zygote implantation to cultured ovules leads to direct embryogenesis and plant regeneration of wheat* 1473
Kunst, L. *see* Millar, A.A.
Kusumi, K., Mizutani, A., Nishimura, M. and Iba, K. *A virescent gene* V1 *determines the expression timing of plastid genes for transcription/translation apparatus during early leaf development in rice* 1241
Kwak, J.M. *see* Lee, S.
Kwon, M.-O. *see* Ding, B.

Lafontaine, J.G. *see* Varin, L.
Lamaze, T. *see* Sarda, X.
Lambert, G.M. *see* Grebenok, R.J.
Langebartels, C. *see* Tuomainen, J.
Langland, J.O., Langland, L., Zeman, C., Saha, D. and Roth, D.A. *Developmental regulation of a plant encoded inhibitor of eukaryotic initiation factor 2 phosphorylation* 393
Langland, L. *see* Langland, J.O.
Lardon, A. *see* Barbacar, N.
Lartey, R., Ghoshroy, S., Hoe, J. and Citovsky, V. *Movement and subcellular localization of a tobamovirus in* Arabidopsis 537
Le Deunff, E. *see* Opsahl-Ferstad, H.-G.
Le Deunff, E. *see* Opsahl-Ferstad, H.-G.
Lebel-Hardenack, S., Ye, D., Koutnikova, H., Saedler, H. and Grant, S.R. *Conserved expression of a* TASSELSEED2 *homolog in the tapetum of the dioecious* Silene latifolia *and* Arabidopsis thaliana 515
Lee, G.I. *see* Oh, S.A.
Lee, K.Y., Baden, C., Howie, W.J., Bedbrook, J. and Dunsmuir, P. *Post-transcriptional gene silencing of ACC synthase in tomato results from cytoplasmic RNA degradation* 1127
Lee, M.S. *see* Mullen, R.T.
Lee, S., Suh, S., Kim, S., Crain, R.C., Kwak, J.M., Nam, H.-G. and Lee,Y. *Systemic elevation of phosphatidic acid and lysophospholipid levels in wounded plants* 547
Lee,Y. *see* Lee, S.
Legrand, E. *see* Sarda, X.
Leung, J. *see* Grabov, A.
Levine, A. *see* McCabe, P.F.
Levy, A. *see* Meissner, R.
Levyatuv, S. *see* Meissner, R.
Li, Y. *see* Robertson, S.E.
Lilley, C.J. *see* Urwin, P.E.
Lisitsky, I., Klaff, P. and Schuster, G. *Blocking polyadenylation of mRNA in the chloroplast inhibits its degradation* 1173
Litiere, K. *see* Jacobs, J.J.M.R.
Lloyd, C.W. *see* Wymer, C.L.
Lorz, H. *see* Kumlehn, J.
Luppi, J.P. *see* Yanovsky, M.J.

Ma, H. *see* Fan, H.-Y.
Machida, Y. *see* Nishihama, R.
Malamy, J.E. and Benfey, P.N. *Analysis of* SCARECROW *expression using a rapid system for assessing trangene expression in* Arabidopsis *roots* 957
Maliga, P. *see* Serino, G.
Martin, R.C., Mok, M.C. and Mok, D.W.S. *Protein processing and auxin response in transgenic tobacco harboring a putative cDNA of zeatin O-xylosyltransferase from* Phaseolus vulgaris 305
Martinussen, I. *see* Olsen, J.E.
Marton, H.A. *see* Egoavil, C.
Matsuda, T. *see* Nakamura, Y.
McCabe, P.F. *see* Kjellbom, P.
McCabe, P.F., Levine, A., Meijer, P.-J., Tapon, N.A. and Pennell, R.I. *A programmed cell death pathway activated in carrot cells cultured at low cell density* 267
McCarty, D.R. *see* Carson, C.B.
McCullough, A.J. *see* Egoavil, C.
McCullough, A.J. *see* Merritt, H.
McPherson, M.J. *see* Urwin, P.E.
Meier, I. *see* Baum, K.
Meijer, L. *see* Planchais, S.
Meijer, P.-J. *see* McCabe, P.F.
Meinke, D. and Kornneef, M. *Community standards: a series of guidelines for plant science* 247
Meissner, R., Jacobson, Y., Melamed, S., Levyatuv, S., Shalev, G., Ashri, A., Elkind, Y. and Levy, A. *A new model system for tomato genetics* 1465
Melamed, S. *see* Meissner, R.
Melzer, M. *see* Herbers, K.
Mengiste, T., Amedeo, P. and Paszkowski, J. *High-efficiency transformation of* Arabidopsis thaliana *with a selectable marker gene regulated by the T-DNA 1' promoter* 945
Merritt, H., McCullough, A.J. and Schuler, M.A. *Internal AU-rich elements modulate activity of two competing 3' splice sites in plant nuclei* 937
Miklashevichs, E., Czaja, I., Cordeiro, A., Prinsen, E., Schell, J. and Walden, R. *T-DNA tagging reveals a novel cDNA triggering cytokinin- and auxin-independent protoplast division* 489
Millar, A.A. and Kunst, L. *Very-long-chain fatty acid biosynthesis is controlled through the expression and specificity of the condensing enzyme* 121
Millar, A.J. *see* Bischoff, F.
Miron, D., Ben-Yaacov, S., Karchi, H. and Galili, G. In vitro *dephosphorylation inhibits the sctivity of soybean lysine-ketoglutarate reductase in a lysine-regulated manner* 1453
Mizutani, A. *see* Kusumi, K.
Mok, D.W.S. *see* Martin, R.C.
Mok, M.C. *see* Martin, R.C.
Mol, J.N.M. *see* Stam, M.
Molina, A. and Garcia-Olmedo, F. *Enhanced tolerance to*

bacterial pathogens caused by the transgenic expression of barley lipid transfer protein LTP2 669
Moneger, F. *see* Barbacar, N.
Moran, S. *see* Qin, M.
Moriguchi, K., Sugita, M. and Sugiura, M. *Structure and subcellular localization of a small RNA-binding protein from tobacco* 215
Moritz, T. *see* Olsen, J.E.
Morris, J.W. *see* Wang, M.L.
Motoyoshi, F. *see* Murata, M.
Mouras, A. *see* Barbacar, N.
Mouras, A. *see* Hernould, M.
Mullen, R.T., Lee, M.S. and Trelease, R.N. *Identification of the peroxisomal targeting signal for cottonseed catalase* 313
Muller, M., Dues, G., Balconi, C., Salamini, F. and Thompson, R.D. *Nitrogen and hormonal responsiveness of the 22 kDa α-zein and β-32 genes in maize endosperm is displayed in the absence of the transcriptional regulator Opaque-2* 281
Mulligan, B.J. *see* Aarts, M.G.M.
Mulligan, B.J. *see* Thorlby, G.J.
Mur, L.A.J., Bi, Y.-M., Darby, R.M., Firek, S. and Draper, J. *Compromising early salicylic acid accumulation delays the hypersensitive response and increases viral dispersal during lesion establishment in TMV-infected tobacco* 1113
Murata, M., Heslop-Harrison, J.S. and Motoyoshi, F. *Physical mapping of the 5S ribosomal RNA genes in* Arabidopsis *thaliana by multi color fluorescence* in situ *hybridization with cosmid clones* 31
Murata, N. *see* Hayashi, H.
Mustardy, L. *see* Hayashi, H.
Myers, A.M. *see* Scanlon, M.J.

Nakamura, Y., Kubo, A., Shimamune, E., Matsuda, T., Harada, K. and Satoh, H. *Correlation between activities of starch debranching enzyme and α-polyglucan structure in endosperms of sugary-1 mutants of rice* 143
Nakashima, K., Kiyosue, T., Yamaguchi-Shinozaki, K. and Shinozaki, K. *A nuclear gene,* erd1*, encoding a chloroplast-targeted Clp protease regulatory subunit homolog is not only induced by water stress but also developmentally up-regulated during senescence* 851
Nam, H.-G. *see* Lee, S.
Nam, H.G. *see* Oh, S.A.
Narasimhulu, S.B., Kao, Y.-L. and Reddy, A.S.N. *Interaction of* Arabidopsis *kinesin-like calmodulin-binding protein with tubulin subunits: modulation by Ca^{2+} calmodulin* 1139
Negrutiu, I. *see* Barbacar, N.
Nelson, R. *see* Itaya, A.
Nettesheim, K. *see* Cardon, G.H.
Ngai, N., Tsai, F.-Y. and Coruzzi, G. *Light-induced transcriptional repression of the pea* AS1 *gene: identification of* cis*-elements and transfactors* 1021
Nick, P. *see* Himmelspach, R.
Nilsen, J. *see* Olsen, J.E.
Nishihama, R., Banno, H., Kawahara, E., Irie, K. and Machida, Y. *Possible involvement of differential splicing in regulation of the activity of* Arabidopsis *ANP1 that is related to mitogen-activated protein kinase kinases (MAPKKs)* 39
Nishimura, M. *see* Hiraiwa, N.
Nishimura, M. *see* Kusumi, K.
Nishimura, M.T. *see* Botella, M.A.
Nishio, T. *see* Sassa, H.

Obokata, J. *see* Yamamoto, Y.Y.
Oecking, C., Piotroski, M., Hagemeier, J. and Hagemann, K. *Topology and target interaction of the fusicoccin-binding 14-3-3 homologs of* Commelina communis 441
Oh, S.A., Park, J.-H., Lee, G.I., Paek, K.H., Park, S.K. and Nam, H.G. *Identification of three genetic loci controlling leaf senescence in* Arabidopsis thaliana 527
Okresz, L. *see* Strizhov, N.
Oliver, R.P. *see* Xiao, S.
Olsen, J.E., Junttila, O., Nilsen, J., Eriksson, M.E., Martinussen, I., Olsson, O., Sandberg, G. and Moritz, T. *Ectopic expression of oat phytochrome A in hybrid aspen changes critical daylength for growth and prevents cold acclimatization* 1339
Olsson, O. *see* Olsen, J.E.
Oparka, K.J., Prior, D.A.M., Santa Cruz, S., Padgett, H.S. and Beachy, R.N. *Gating of epidermal plasmodesmata is restricted to the leading edge of expanding infection sites of tobacco mosaic virus (TMV)* 781
Opsahl-Ferstad, H.-G., Le Deunff, E., Dumas, C. and Rogowsky, P.M. ZmEsr*, a novel endosperm-specific gene expressed in a restricted region around the maize embryo* 235
Owens, R. *see* Ding, B.

Padgett, H.S. *see* Oparka, K.J.
Paek, K.H. *see* Oh, S.A.
Papenbrock, J. *see* Zavgorodnyaya, A.
Papenbrock, J., Grafe, S., Kruse, E., Hanel, F. and Grimm, B. *Mg-chelatase of tobacco: identification of a* Chl D *cDNA sequence encoding a third subunit, analysis of the interaction of the three subunits with the yeast two-hybrid system, and reconstitution of the enzyme activity by co-expression of recombinant CHL D, CHL H and CHL I* 981
Park, J.-H. *see* Oh, S.A.
Park, S.K. *see* Oh, S.A.
Paszkowski, J. *see* Mengiste, T.
Paul, A.-L. *see* Bihn, E.A.
Pennell, R.I. *see* Kjellbom, P.
Pennell, R.I. *see* McCabe, P.F.
Pereira, A. *see* Aarts, M.G.M.
Perennes, C. *see* Planchais, S.
Peters, N.C.B. *see* Jones, H.D.
Peterson, P.A. *see* Carson, C.B.
Peumans, W.J. *see* Van Damme, E.J.M.
Piotroski, M. *see* Oecking, C.
Planchais, S., Glab, N., Trehin, C., Perennes, C., Bureau, J.-M., Meijer, L. and Bergounioux, C. Roscovitine*, a novel cyclin-dependent kinase inhibitor, characterizes restriction point and G2/M transition in tobacco BY-2 cell suspension* 191
Plesch, G., Stormann, K., Torres, J.T., Walden, R. and Somssich, I.E. *Developmental and auxin-induced expression of the* Arabidopsis prha *homeobox gene* 635
Poethig, R.S. *see* Evans, M.M.S.
Pottosin, I.G., Tikhonova, L.I., Hedrich, R. and Schonknecht, G. *Slowly activating vacuolar channels cannot mediate Ca^{2+}-induced Ca^{2+} release* 1387
Prinsen, E. *see* Miklashevichs, E.
Prior, D.A.M. *see* Oparka, K.J.

Qian, D. *see* Zhou, D.
Qin, M., Kuhn, R., Moran, S. and Quail, P.H. *Overexpressed phytochrome C has similar photosensory specificity to phytochrome B but a distinctive capacity to enhance primary leaf expansion* 1163
Quail, P.H. *see* Qin, M.

Ratcliffe, O.J. *see* Davies, G.J.
Reddy, A.S.N. *see* Bowser, J.
Reddy, A.S.N. *see* Narasimhulu, S.B.
Reid, J.B. *see* Swain, S.M.
Reiter, W.-D., Chapple, C. and Somerville, C.R. *Mutants of* Arabidopsis thaliana *with altered cell wall polysaccharide composition* 335
Rethmeier, N., Seurinck, J., Van Montagu, M. and Cornelissen, M. *Intron-mediated enhancement of transgene expression in maize is a nuclear, gene-dependent process* 895
Reuzeau, C. *see* Kjellbom, P.
Richard, M. *see* Varin, L.
Riggs, C.D. *see* Taylor, A.A.
Rinehart, T.A., Dean, C. and Weil, C.F. *Comparative analysis of non-random DNA repair following Ac transposon exision in maize and* Arabidopsis 1419
Ripoll, C. *see* Verdus, M.-C.
Robertson, S.E., Li, Y., Scutt, C.P., Willis, M.E. and Gilmartin, P.M. *Spatial expression dynamics of* Men-9 *delineates the third floral whorl in male and female flowers of dioecious* Silene latifolia 155
Robson, P.R.H. *see* Hudson, M.
Roeven, R. *see* Sudam Pathirana, M.
Rogowsky, P.M. *see* Opsahl-Ferstad, H.-G.
Rohde, W. *see* Herbers, K.
Rose, J.K.C. *see* Catala, C.
Rosenkrans, L. *see* Carson, C.B.
Roth, D.A. *see* Langland, J.O.
Rouge, P. *see* Van Damme, E.J.M.
Roy, S. *see* Van Damme, E.J.M.
Rudd, J.J., Franklin, F.C.H. and Franklin-Tong, V.E. *Ca^{2+}-independent phosphorylation of a 68 kDa pollen protein is stimulated by the self-incompatibility response in* Papaver rhoeas 507
Ruel, K. *see* Ryser, U.
Ryser, U., Schorderet, M., Zhao, G.-F., Studer, D., Ruel, K., Hauf, G. and Keller, B. *Structural cell-wall proteins in protoxylem development: evidence for a repair process mediated by a glycine-rich protein* 97
Rzepczyk, A. *see* Taylor, A.A.

Saedler, H. *see* Cardon, G.H.
Saedler, H. *see* Lebel-Hardenack, S.
Saha, D. *see* Langland, J.O.
Sakamoto, W. *see* Hamel, P.
Salamini, F. *see* Muller, M.
Samac, D.A. *see* Sudam Pathirana, M.
Sandberg, G. *see* Olsen, J.E.
Sandermann Jr., H. *see* Tuomainen, J.
Santa Cruz, S. *see* Oparka, K.J.
Sarda, X., Tousch, D., Ferrare, K., Legrand, E., Dupuis, J.M., Casse-Delbert, F. and Lamaze, T. *Two TIP-like genes encoding aquaporins are expressed in sunflower guard cells* 1103
Sassa, H., Hirano, H., Nishio, T. and Koba, T. *Style specific self-compatible mutation caused by deletion of the S-RNase gene in Japanese pear (*Pyrus serotina*)* 223
Satoh, H. *see* Nakamura, Y.
Scanlon, M.J., Myers, A.M., Schneeberger, R.G. and Freeling, M. *The maize gene* empty pericarp-2 *is required for progression beyond early stages of embryogenesis* 901
Schafer, E. *see* Himmelspach, R.
Schell, J. *see* Miklashevichs, E.
Schell, J. *see* Strizhov, N.
Schlumukov, L. *see* Thorlby, G.J.
Schmidt, E.D.L. *see* Toonen, M.A.J.
Schmulling, T. *see* Faiss, M.
Schneeberger, R.G. *see* Scanlon, M.J.
Schonknecht, G. *see* Pottosin, I.G.
Schorderet, M. *see* Ryser, U.
Schuler, M.A. *see* Egoavil, C.
Schuler, M.A. *see* Merritt, H.
Schuster, G. *see* Lisitsky, I.
Scott, R. *see* Aarts, M.G.M.
Scutt, C.P. *see* Robertson, S.E.
Seki, M., Hayashida, N., Kato, N., Yohda, M. and Shinozaki, K. *Rapid construction of a transcription map for a cosmid contig of* Arabidopsis thaliana *genome using a novel cDNA selection method* 481
Serino, G. and Maliga, P. *A negative selection scheme based on the expression of cytosine deaminase in plastids* 697
Serna, L. and Fenoll, C. *Tracing the ontogeny of stomatal clusters in* Arabidopsis *with molecular markers* 747
Seurinck, J. *see* Rethmeier, N.
Shalev, G. *see* Meissner, R.
Shaw, P.J. *see* Thompson, W.F.
Shaw, P.J. *see* Wymer, C.L.
Sheikh, M.A. *see* Davies, G.J.
Shibuya, N. *see* Ito, Y.
Shimamune, E. *see* Nakamura, Y.
Shinozaki, K. *see* Nakashima, K.
Shinozaki, K. *see* Seki, M.
Silverstone, A.L., Chang, C.-w., Krol, E. and Sun, T.-P. *Developmental regulation of the gibberellin biosynthetic gene* GA1 *in* Arabidopsis thaliana 9
Skaggs, M.I. *see* Clark, A.M.
Smeekens, S.C.M. *see* Van Oosten, J.J.-M.
Smith, F.W., Hawkesford, M.J., Ealing, P.M., Clarkson, D.T., Vanden Berg, P.J., Belcher, A.R. and Warrilow, A.G.S. *Regulation of expression of a cDNA from barley roots encoding a high affinity sulfate transporter* 875
Smith, H. *see* Hudson, M.
Smith, J.D., Todd, P. and Staehelin, L.A. *Modulation of statolith mass and grouping in white clover (*Trifolium repens*) grown in 1-g, microgravity and on the clinostat* 1361
Snogerup, L. *see* Kjellbom, P.
Somerville, C.R. *see* Reiter, W.-D.
Somerville, S.C. *see* Botella, M.A.
Somerville, S.C. *see* Buell, C.R.
Somssich, I.E. *see* Plesch, G.
Sonnewald, U. *see* Herbers, K.
Sperling, U. *Overexpression of light-dependent PORA or PORB in plants depleted of endogenous POR by far-red light enhances seedling survival in white light and protects against photooxidative damage* 649
Staehelin, L.A. *see* Smith, J.D.
Stam, M., de Bruin, R., Kenter, S., van der Hoorn, R.A.L., van Blockland, R., Mol, J.N.M. and Kooter, J.M. *Post-transcriptional silencing of chalcone synthase in* Petunia *by inverted transgene repeats* 63
Stephenson, A.G., Doughty, J., Dixon, S., Elleman, C., Hiscock, S. and Dickinson, H.G. *The male determinant of self incompatibility in* Brassica oleracea *is located in the pollen coating* 1351
Steup, M. *see* Duwenig, E.
Stiekema, W.J. *see* Aarts, M.G.M.
Stoger, E. *see* Touraev, A.
Stohr, C. *see* Kjellbom, P.
Stone, J.M. *see* Braun, D.M.

Stormann, K. *see* Plesch, G.
Strand, A., Hurry, V., Gustafsson, P. and Gardestrom, P. *Development of* Arabidopsis thaliana *leaves at low temperatures releases the suppression of photosynthesis and photosynthetic gene expression despite the accumulation of soluble carbohydrates* 605
Strizhov, N., Abraham, E., Okresz, L., Blickling, S., Zilberstein, A., Schell, J., Koncz, C. and Szabados, L. *Differential expression of two* P5CS *genes controlling proline accumulation during salt-stress requires ABA and is regulated by* ABA1, ABI1 *and* AXR2 557
Strnad, M. *see* Faiss, M.
Strommer, J. *see* Uimari, A.
Studer, D. *see* Ryser, U.
Sudam Pathirana, M., Samac, D.A., Roeven, R., Yoshioka, H., Vance, C.P. and Gantt, J.S. *Analyses of phosphoenolpyruvate carboxylase gene structure and expression in alfalfa nodules* 293
Sugita, M. *see* Moriguchi, K.
Sugita, M. *see* Yukawa, Y.
Sugiura, M. *see* Moriguchi, K.
Sugiura, M. *see* Yukawa, Y.
Suh, S. *see* Lee, S.
Sun, T.-P. *see* Silverstone, A.L.
Swain, S.M., Reid, J.B. and Kamiya, Y. *Gibberellins are required for embryo growth and seed development in pea* 1329
Syono, K. *see* Fujita, H.
Szabados, L. *see* Strizhov, N.

Tacke, E. *see* Herbers, K.
Takahashi, T. *see* Hanzawa, Y.
Tapon, N.A. *see* McCabe, P.F.
Taylor, A.A., Horsch, A., Rzepczyk, A., Hasenkampf, C.A. and Riggs, C.D. *Maturation and secretion of a serine proteinase is associated with events of late microsporogenesis* 1261
Thellier, M. *see* Verdus, M.-C.
Thomas, B. *see* Halliday, K.J.
Thompson, G.A. *see* Clark, A.M.
Thompson, R.D. *see* Muller, M.
Thompson, W.F., Beven, A.F., Wells, B. and Shaw, P.J. *Sites of rDNA transcription are widely dispersed through the nucleolus in* Pisum sativum *and can compromise single genes* 571
Thorlby, G.J., Schlumukov, L., Vizir, I.Y., Yang, C.-Y., Mulligan, B.J. and Wilson, Z.A. *Fine-scale molecular genetic (RFLP) and physical mapping of a 8.9 cM region on the top arm of* Arabidopsis *chromosome 5 encompassing the male sterility gene,* ms1 471
Tikhonova, L.I. *see* Pottosin, I.G.
Todd, P. *see* Smith, J.D.
Toonen, M.A.J., Verhees, J.A., Schmidt, E.D.L., Van Kammen, A. and De Vries, S.C. *AtLTP1 luciferase expression during carrot somatic embryogenesis* 1213
Torres, J.T. *see* Plesch, G.
Touraev, A., Stoger, E., Voronin, V. and Heberle-Bors, E. *Plant male germ line transformation* 945
Tousch, D. *see* Sarda, X.
Trehin, C. *see* Planchais, S.
Trelease, R.N. *see* Mullen, R.T.
Trewavas, A.J. *see* Knight, H.
Tsai, F.-Y. *see* Ngai, N.
Tsuji, H. *see* Yamamoto, Y.Y.
Tudor, M. *see* Fan, H.-Y.
Tuomainen, J., Betz, C., Kangasjarvi, J., Ernst, D., Yin, Z.-H., Langebartels, C. and Sandermann Jr., H. *Ozone induction of ethylene emission in tomato plants: regulation by differential accumulation of transcripts for the biosynthetic enzymes* 1151
Turner, J.G. *see* Xiao, S.

Uimari, A. and Strommer, J. *Myb26: a MYB-like protein of pea flowers with an affinity for promotors of phenylpropanoid genes* 1273
Urwin, P.E., Lilley, C.J., McPherson, M.J. and Atkinson, H.J. *Resistance to both cyst and root-knot nematodes conferred by trangenic* Arabidopsis *expressing a modified plant cystatin* 455

Van Blockland, R. *see* Stam, M.
Van Damme, E.J.M., Roy, S., Barre, A., Rouge, P., Van Leuven, F. and Peumans, W.J. *The major elderberry (*Sambucus nigra*) fruit protein is a lectin derived from a truncated type 2 ribosome-inactivating protein* 1251
Van den Ackerveken, G. *see* Bonas, U.
Van der Hoorn, R.A.L. *see* Stam, M.
Van Dijk, V. *see* Jacobs, J.J.M.R.
Van Eldik, G.J. *see* Jacobs, J.J.M.R.
Van Houdt, H., Ingelbrecht, I., Van Montagu, M. and Depicker, A. *Post-transcriptional silencing of a neomycin phosphotransferase II transgene correlates with the accumulation of unproductive RNAs with increased cytosine methylation of 3′ flanking regions* 379
Van Kammen, A. *see* Toonen, M.A.J.
Van Leuven, F. *see* Van Damme, E.J.M.
Van Montagu, M. *see* Jacobs, J.J.M.R.
Van Montagu, M. *see* Rethmeier, N.
Van Montagu, M. *see* Van Houdt, H.
Van Montague, M. *see* Dillen, W.
Van Oosten, J.J.-M., Gerbaud, A., Huijser, C., Dijkwell, P.P., Chua, N.-H. and Smeekens, S.C.M. *An* Arabidopsis *mutant showing reduced feedback inhibition of photosynthesis* 1011
Van't Hof, J. *see* Burton, S.K.
Vance, C.P. *see* Sudam Pathirana, M.
Vanden Berg, P.J. *see* Smith, F.W.
Varin, L., Chamberland, H., Lafontaine, J.G. and Richard, M. *The enzyme involved in sulfation of the turgorin, gallic acid 4-O-(β-D-*glucopyranosyl-6′-sulfate) is pulvini-localized in Mimosa pudica 831
Vasil, I.K. *see* Carson, C.B.
Vasil, V. *see* Carson, C.B.
Vaucheret, H. *see* English, J.J.
Verdus, M.-C., Thellier, M. and Ripoll, C. *Storage of environmental signals in flax. Their morphogenetic effect as enabled by a transient depletion of calcium* 1399
Verhees, J.A. *see* Toonen, M.A.J.
Veuskens, J. *see* Hernould, M.
Vizir, I.Y. *see* Thorlby, G.J.
Von Lintig, J., Welsch, R., Bonk, M., Guiliano, G., Batschauer, A. and Kleinig, H. *Light-dependent regulation of carotenoid biosynthesis occurs at the level of phtoene synthase expression and is mediated by phytochrome in* Sinapis alba *and* Arabidopsis thaliana 625
Voronin, V. *see* Touraev, A.

Walden, R. *see* Miklashevichs, E.
Walden, R. *see* Plesch, G.
Walker, J.C. *see* Braun, D.M.
Wang, M.L., Huang, L., Bongard-Pierce, D.K., Belmonte, S.,

Zachgo, E.A., Morris, J.W., Dolan, M. and Goodman, H.M. *Construction of an ~2 Mb contig in the region around 80 cM of* Arabidopsis thaliana *chromosome 2* 711
Wang, S.W. *see* Bihn, E.A.
Warn, R.N. *see* Wymer, C.L.
Warrilow, A.G.S. *see* Smith, F.W.
Webster, C.I. *see* Helliwell, C.A.
Weeds, A.G. *see* Jiang, C.-J.
Weil, C.F. *see* Rinehart, T.A.
Wells, B. *see* Thompson, W.F.
Welsch, R. *see* Von Lintig, J.
Whitelam, G.C. *see* Halliday, K.J.
Willis, M.E. *see* Robertson, S.E.
Willmitzer, L. *see* Duwenig, E.
Willmitzer, L. *see* Hellwege, E.M.
Wilson, Z.A. *see* Aarts, M.G.M.
Wilson, Z.A. *see* Thorlby, G.J.
Wintz, H. *see* Hamel, P.
Wright, E.A., Heckel, T., Groenendijk, J., Davies, J.W. and Boulton, M.I. *Splicing features in maize streak virus virion- and complementary-sense gene expression* 1285
Wymer, C.L., Bibikova, T.N. and Gilroy, S. *Cytoplasmic free calcium distributions during the development of root hairs of* Arabidopsis thaliana 427
Wymer, C.L., Shaw, P.J., Warn, R.N. and Lloyd, C.W. *Microinjection of fluorescent tubulin into plant cells provides a representative picture of the cortical microtubule array* 229

Xiao, S., Ellwood, S., Findlay, K., Oliver, R.P. and Turner, J.G. *Characterization of three loci controlling resistance of* Arabidopsis thaliana *accession Ms-0 to two powdery mildew diseases* 757

Yamaguchi-Shinozaki, K. *see* Nakashima, K.
Yamamoto, Y.Y., Kondo, Y., Kato, A., Tsuji, H. and Obokata, J. *Light responsive elements of the tobacco* PSI-D *gene are located both upstream and within the transcribed region* 255
Yang, C.-Y. *see* Thorlby, G.J.
Yang, Z. *see* Zhou, D.
Yanovsky, M.J., Casal, J.J. and Luppi, J.P. *The* VLF *loci, polymorphic between ecotypes Landsberg* erecta *and Columbia, dissect two branches of phytochrome A signal transduction that correspond to very-low-fluence and high-irradiance responses* 659
Ye, D. *see* Lebel-Hardenack, S.
Yin, Y., Chen, L. and Beachy, R. *Promotor elements required for phloem-specific gene expression from the RTBV promotor in rice* 1179
Yin, Z.-H. *see* Tuomainen, J.
Yohda, M. *see* Seki, M.
Yoshioka, H. *see* Sudam Pathirana, M.
Yukawa, Y., Sugita, M. and Sugiura, M. *Efficient* in vitro *transcription of plant nuclear $tRNA^{Ser}$ genes in a nuclear extract from tobacco cultured cells* 965

Zachgo, E.A. *see* Wang, M.L.
Zalubilova, J. *see* Faiss, M.
Zambre, M. *see* Dillen, W.
Zavgorodnyaya, A., Papenbrock, J. and Grimm, B. *Yeast 5-aminolevulinate synthase provides additional chlorophyll precursor in transgenic tobacco* 169
Zeman, C. *see* Langland, J.O.
Zhao, G.-F. *see* Ryser, U.
Zhou, D., Qian, D., Cramer, C.L. and Yang, Z. *Developmental and environmental regulation of tissue- and cell-specific expression for a pea protein farnesyltransferase gene in transgenic plants* 921
Zilberstein, A. *see* Strizhov, N.

Subject index

ABA signalling 557
*abi*1 locus 481
abscissic acid 203
Ac/Ds 1419
ACAULIS 863
ACC oxidase 731
ACC synthase 1127
actin-depolymerizing factor 1035
affinity labelling 347
Agrobacterium tumefaciens 945, 1459
alditol acetates 335
alfalfa 293
altered tuber sprouting 323
amylopectin 143
amyloplast 1361
anther 1261
anther development 515
antisense inhibition 323
aquaporin 1103
Arabidopsis 9, 39,133, 247 ,455, 537, 605, 615, 635, 711, 863, 965, 1011, 1067, 1163, 1213, 1419
Arabidopsis thaliana 31, 367, 427, 481, 527, 557, 583, 625, 851, 945, 1197, 1319
arabinogalactan proteins 1189
AtLTP1 promoter 1213
ATP synthase 1319
auxin 191, 417, 489, 635
auxin transport 583

BAC 711
bacterial diseases 1
BAS1 179
β-glucuronidase 731
binding protein 113
biolistics 949
black rot disease 21
blue light signalling 677
bolting 863
Brassica oleracea 1351
BrUTP 571
β-subunit 921
BY-2 cells 191

Ca^{2+}-induced Ca^{2+} release 1387
calcium 427, 1139, 1399, 1429
calmodulin 1139, 1429
calmodulin-binding protein 1139, 1429
carrot 267
castor bean 819
catabolite repression 605
catalase 313
CCT (chaperone containing TCP-1) subunits 1299
CDK 191
cDNA cloning 1251
cDNA selection 481
cell cycle 191, 747
cell division 489, 1429
cell elongation 863
cell fate 747
cell lineage 747
cell proliferation 39
cell tracking 1213
cell wall 97
cell–cell interactions 1351
cell-surface antigen 1411
chlorophyll 527, 981
chlorophyll biosynthesis 649
chlorophyll precursor 169
chloroplast 981, 1173
chloroplast protein 179
choline oxidase 133
chromosome 2 711
chromosome identification 31
chromosome walking 471
cis elements 1021, 1179
cold stress 133
coleoptile growth 1299
Colfilin 1035
companion cell 49
complementation 957, 1319
condensing enzyme 121
confocal 1439
confocal microscopy 229
consensus sequence-type RNA-binding domain 215
cosmid 481
cosmid clone 31
co-suppression 63, 379, 885
cottonseed 313
cucumber mosaic virus 1223
Cucurbita 49
cyclin 191
Cynara scolymus 1057
cytochrome c oxidase 1319
cytokinin 401, 489
cytometry 191
cytosine deaminase 697
cytoskeleton 1299
cytosolic 323

ddm1 1447
deletion 991
development 235, 1447
developmental control 9
differential display 235
differential splicing 39
digenic inheritance 21
dioecious 155, 515, 805
disease resistance 21
disease resistance gene 1197
DNA binding proteins 999
DNA methylation 1311
DNA polymerase-α 357
DNA-binding 367
DOP-PCR amplification 703
drought 1067

early stamen development 805
elderberry 1251
elicitor 347
elongation 1079
embryo 1329
embryo dormancy 911
embryogenesis 1473
empty pericarp-2 901

EMS mutagenesis 335
endo-1,4-β-D-glucanase 417
endosperm 235, 281
enhanced flowering 323
ent-kaurene synthase A 9
environmental stimuli 1399
ep locus 991
EP2 1213
epidermis 781
epigenetic 1447
erd1 851
Erysiphe cichoracearum 757
Erysiphe cruciferarum 757
essential amino acids 1453
ethylene 731
ethylene emission 1151
expressed sequence tag 1197
expression 677

farnesylation 921
firefly luciferase 1213
flax 1399
floral transition 367
fluorescence 571
flower development 805
flowering 367
flowering time 1079
fluorescence analogue cytochemistry 229
fluorescence *in situ* hybridization 31
freezing tolerance 605
fruit specific 463
FTase 921
fusicoccin 441
fusicoccin-binding protein 441
fwa 1447

GA1 9
gas chromatography 335
G-box 463
geminivirus 1285
gene cloning 677
gene deletion 223
gene expression 731, 863, 981, 1231
gene light regulation 499
gene manipulation 133
gene silencing 63, 885, 1127, 1311
genetic mapping 757
genetic transformation 1459
genetics 247
gibberellin 1329, 1339
gibberellin biosynthesis 9
glucanase 885
glycine rich proteins 97
glycinebetaine 133
glycine-rich region 215
glycosylation 819
glyoxysome 313
gravitational biology 1361
gravitropism 583, 1361
green fluorescent protein (GFP) 781, 1223
greening 649
growth cessation 1339
guard cell 203, 747, 1103
GUS reporter gene 9

HDV 931
hemizygous 791
heterochrony 769
Heterodera 455
high-irradiance responses 659
homeobox gene 635
Hordeum vulgare 1387
hormone 281
hypersensitive responses 1113
hypocotyl 417

I-box 463
immunocytochemistry 1261
implantation 1473
import 313
in situ hybridization 702, 805
in vitro pollen maturation 949
in vitro transcription 965
indeterminate growth 863
indole-3-acetic acid 1339
inheritance 1447
interaction cloning 83
intercellular signalling 839
intracellular calcium 1067
intron 9
intron recognition 937, 971
inverted repeats 63
ion transport 875

K1 domain interacting kinase 1 83
kaurene oxidase 1329
1-ketose 1057
kinase associated protein phosphatase 83
kinesin-like protein 1139, 1429

latex particles 481
leaf 527
lectin 1251
leucine 1197
leucine zipper 635
Lewis a 1411
lignification 97
lipid transfer protein 1213
local and systemic viral movement 537
localization 1439
LTP2 669
luciferase 1011
Lycopersicon esculentum 113, 1465
lysine catabolism 1453
lysine-ketoglutarate reductase 1453
lysophospholipid 547

maize 769, 1035, 1299, 1419, 1439
maize *Adh1* intron 3 937
maize streak virus 1285
male sterility 471
MALE STERILITY 2 615
MAPK cascade 39
MAPKKK 39
mapping 247, 471
Maryland Mammoth 1079
meiosis 1261
Meloidogyne 455
membrane proteins 875

meristems 1399
MET1 1447
metabolic engineering 121
methylation 379
microdissection 703
microinjection 229, 781
microspore 949
microsporogenesis 1261
microtubule dynamics 229
microtubule motor protein 1139
microtubules 229
Mimosa pudica 831
molecular subtraction 805
monogenic inheritance 21
monosaccharides 335
motor protein 1429
movement protein 1045, 1223
mRNA degradation 1173
mRNA stability 885
msl 471
mutagenesis 1465
mutant 247, 527, 677, 1011, 1091
mutation 991
myb 1273

N-1-naphthylphthalamic acid (NPA) 583
N-acetylchitooligosaccharide 347
nematode 455
Nicotiana benthamiana 203
Nicotiana plumbaginfolia 1091
Nicotiana repanda 703
Nicotiana tabacum 379, 703, 1079
night breaks 1079
nitrogen 281
nomenclature 247
NPK1 protein kinase 39
nuclear 1439
nuclear extract 965
nuclear localization 1035
nucleolus 571
nucleo-mitochondrial interactions 1319
nucleoplasmic localization 215
nucleolar localization 215

Opaque 2 281
Oryza sativa 1241
overexpression 1163
ovule culture 1473

Papaver rhoeas 507, 1375
particle bombardment 463
patch-clamp 1387
PCD suppression 267
pea 357
peroxidase 991
peroxisome 313
phase change 769
phaseolus 1459
Phaseolus vulgaris 305
PHD finger 635
phenylpropanoid metabolism 1273
phloem 1179
phloem protein 49
phloem specific gene 49
phosphatidic acid 547
phospholipase 547
phosphorylation 393, 507
photoassimilate accumulation 1045
photochemical efficiency 527
photodynamic damage 649
photoperiod 1339
photoprotection 649
photosensory specificity 1163
photosynthesis 1011, 1045
phototropism 583
physical map 711
physiological function 1163
phytochrome 1079, 1339
phytochrome A 659
phytochrome B 1091
phytochrome C 1163
phytoglycogen 143
pigment synthesis 981
PIS *1* 583
Pisum 1329
Pisum sativum 1273
plant glycoproteins 1411
plant pre-mRNA splicing 937, 971
plant signal transduction 547
plant–microbe interactions 1
plants 1399
plasma membrane 347, 1189
plasmodesmata 781, 931, 1045, 1223
plastid gene expression 1241
plastid membrane development 649
plastid RNA polymerase 1241
plastocyanin 1011
pollen coating 1351
pollen transformation 949
pollen–stigma interactions 1351
polyadenylation 1173
Populus 1339
porphyrins 981
post-transcriptional 63
post-transcriptional regulation 1311
post-transcriptional silencing 379
potato leafroll virus 1045
potato spindle tuber viroid 931
potato tubers 1057
potato virus X 1311
PP1 49
PR proteins 1113
primary leaf 1163
programmed cell death 97
proline biosynthesis 557, 1067
proline rich proteins 97
1′ promoter 945
promoter 731, 957, 1179
proprotein processing 819
14-3-3 proteins 441, 1439
protein elicitor 113
protein isoprenylation 921
protein phosphatase 2C 83
protein phosphorylation 83
protein trafficking 1223
proteinase 1261
protein-protein interaction 981
protoxylem 97

P-type H^+-ATPase 441
pulvinus 831
1-pyrroline-5-carboxylate synthase (P5CS) 557

quantitative trait loci 659

RBCS promoter 463
rDNA 571
receptor 113, 347
recombinant inbred lines 21
red light 1091
regeneration 1473
resistance 455
restorer chromosome fragment 703
RFLP 471
riboendonucleases 1173
ribosome-inactivating protein 1251
5S ribosomal RNA gene 31
rice 1179
rice endosperm 143
RNA binding protein 215
RNA polymerase III 965
RNA transport 931
root cap 1361
root hairs 1035
roscovitine 191
rpo gene 1241
rps gene 1241
RTBV 1179
RXC2 21
RXC3 21
RXC4 21

S. cerevisiae 1319
saccharopine dehydrogenase 1453
salicylic acid 1113
salt 1067
salt stress 133, 557
Sambuca nigra 1251
SBP box 367
SCARECROW 957
SDH 1453
seed 1329
seed coat 991
seismonasty 831
self-compatible mutant 223
self-incompatibility 223
senescence 527
sense transcription 597
sequence 677
sex determination 155, 515
shade avoidance 1091
shoot development 769
short-day plant 1079
sieve element 49
signal storage 1399
signal transduction 83, 113, 659, 1067
Silene latifolia 155, 515
Sinapsis alba 625
slicing enhancers 971
slow vacuolar channel 1387
somatic embryogenesis 1213
soybean 991
space biology 1361
spinach 1173
3′ splice site selection 937
5′ splice site selection 971
splicing 1285
sporophytic self-incompatibility 1351
S-RNase 223
starch 143
starch debranching enzyme 143
statocyte 1361
stomatal cluster 747
stomatal conductance 1103
storage protein 281
stress 1103
sucrose sucrose 1-fructosyltransferase 1057
sugar sensing 1011
sugary mutant 143
sulfotransferase 831
sulphate assimilation 875
sulphate transport 875
sulphate uptake 875
sunflower 1103
suspension cultured rice cells 347
systemic defence response 547

targeting 313
TASSELSEED2 515
T-DNA 1459
T-DNA tagging 489
temperature 1459
temperature sensitive virescent mutant 1241
TES 957
TIP 1103
tip growth 1035
tissue culture 957
TMV lesions 1113
tobacco 215, 255, 885, 921, 949, 965, 1079, 1113
tobacco mosaic virus (TMV) 781
tobomoviruses 537
tomato 417, 463, 1151
trangene 1127
trangenic plants 1311
trans factors 1179
transcription 571
transcription factor 911
transcription factor a 1273
transcription map 481
transcripts 1285
transformation 945
transgene 63
transgene expression 401, 895
transgenic 455, 1079
transgenic *Arabidopsis thaliana* 649
transgenic plants 367
transgenic *Solanum tuberosum* L. plants 323
transgenic tobacco 169, 1045
transient expression 1459
transposon footprints 1419
transposon tagging 1465
tRNA gene 965
truncated genes 1251
tt4 791
tubulin 1139, 1299
turgorin 831
TVCV 537

two-hybrid system 981

unproductive RNA 379

vacuolar processing enzyme 819
vacuole 819
variegation 791
vascular development 635
very-low-fluorescence responses 659
viral containment 1113
viral resistance 1045
viroid 931
virus resistance 1311
virus–plant interaction 537
viviparous1 1231
viviparous8 769

VLCFAs 121
voltage-dependence 1387
VP1/ABI 3 911

wheat 1473
white campion 805
wound signal 547

XET 417
xyloglucan 417

YAC 471
yeast 819

Zea mays 235
zygote 1473
zymogram 1261